



SS22 SUNGLASSES COLLECTION

ONS SS2022

Introducing 25 RX-able sunglasses for Summer 2022 from O'Neill with new, improved performance features. Within the O'Neill 2.0 collection there are 3 distinct upgrades: lenses, materials and touchpoints.

HYDROFREAK™ lenses offer exceptional high-quality optics with 5 distinct features.

ZEROFORM™ frame material performance material is impact resistant, lightweight and flexible

PSYCHOTECH™ contact zones rubber offers a sweat resistant dry grip

Green Product Award-winning O'Neill BLUE sunglasses add two new shapes to the sustainable family. BLUELYN and BLUESHORE are precision formed from recycled fishing nets with recyclable mineral glass lenses.

25 x models (75 x sku's)

Eye sizes range from 53 to 64 eye

HYDROFREAK™ lenses


Salt water-resistant polarised lenses

- HYDROPHOBIC COATING
- POLARISED FILTERS
- LIGHTWEIGHT POLYCARBONATE
- IMPACT-RESISTANT
- SCRATCH-RESISTANT
- ENHANCED UV PROTECTION (UVA / UVB 400)
- ANTI-REFLECTIVE TO REDUCE GLARE

For 2021, O'Neill introduces HYDROFREAK™ lenses, with high quality polarising filters sealed and protected from water damage by adding repellent hydrophobic coat and tough scratch-resistant, backside anti-reflective coating and impact-resistant polycarbonate.

HYDROFREAK™ lenses also bring supreme visual clarity - halo elimination, increased contrast and truer colours.

All O'Neill frames are fitted with lenses to offer enhanced UV400 UVA and UVB protection from sun damage.



PSYCHOTECH™ contact zones

Sweat-resistant dry grip

- NO-SLIP TOUCHPOINTS
- MULTI-POINT IMPACT SHOCK ABSORPTION
- O'NEILL COLOUR BRIGHTS

Wherever O'Neill sunglasses frames make contact with your skin, find soft touch PSYCHOTECH™ rubber precision-moulded to cushion impact and retain a dry grip - even in damp conditions. PSYCHOTECH™ rubber in O'Neill colours means it's always summer on the inside.



ZEROFORM™ frame material

Precision-molded ergonomics for active people

- LIGHTWEIGHT FLEX POLYMER
- DURABLE
- PRECISION-MOULDED CONTOUR FIT
- O'NEILL COLOUR AND FINISH OPTIONS

Active people seek out comfort, flex and durability. The answer to all of these requirements lies in ZEROFORM™ - a synthetic polymer, elastic enough to give flex and secure fit, strong enough to resist impact, and lightweight for all day wear.

We pushed ZEROFORM™ to the limit and designed a whole collection of sunglasses combining them with the best of O'Neill lens technologies. The results are here for 2021, with the very best of vision protection featuring UV400 polarisation, hydrophobic quick drying lenses and strategic PSYCHOTECH™ contact zones.





ONS Wove2.0 - 127P

Matte black
Solid green (Cat 3)

Technical Spec

- Mineral glass lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- Made from recycled fishing nets and recycled natural rubber

Sizing

A measurement:	64	Temple length:	131	Base curve:	800
B measurement:	43.7	ED measurement:	60.3	Sph's:	+3.00 / -3.00
DBL measurement:	17	Panto angle:	11	Cyl's:	2.00

Wove2.0 Ghostnets and recycled rubber. Repurposed waste combines with natural mineral glass lenses – every element thoughtfully aligned with O’Neill’s BLUE mission to protect our oceans.

 **PRECISION FORMED FROM RECYCLED FISHING NETS**
RECYCLABLE MINERAL GLASS LENSES
RECYCLABLE RUBBER TOUCH POINTS



**Green
Product
Award**

Winner
2021



BLUELYN2.0 Ghostnets and recycled rubber. Repurposed waste combines with natural mineral glass lenses – every element thoughtfully aligned with O’Neill’s BLUE mission to protect our oceans.

 **PRECISION FORMED FROM RECYCLED FISHING NETS**
RECYCLABLE MINERAL GLASS LENSES
RECYCLABLE RUBBER TOUCH POINTS



ONS Bluelyn2.0 - 127P

Matte black
Solid green (Cat 3)

Technical Spec

- Mineral glass lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- Made from recycled fishing nets and recycled natural rubber

Sizing

A measurement:	57	Temple length:	140	Base curve:	600
B measurement:	45.5	ED measurement:	64.7	Sph's:	+3.00 / -3.00
DBL measurement:	17	Panto angle:	12	Cyl's:	2.00



BLUESHORE2.0 Ghostnets and recycled rubber. Repurposed waste combines with natural mineral glass lenses – every element thoughtfully aligned with O’Neill’s BLUE mission to protect our oceans.



PRECISION FORMED FROM RECYCLED FISHING NETS
RECYCLABLE MINERAL GLASS LENSES
RECYCLABLE RUBBER TOUCH POINTS



ONS Blueshore2.0 - 127P

Matte black
Solid green (Cat 3)

Technical Spec

- Mineral glass lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- Made from recycled fishing nets and recycled natural rubber

Sizing

A measurement:	58	Temple length:	140	Base curve:	600
B measurement:	46.4	ED measurement:	60.0	Sph's:	+3.00 / -3.00
DBL measurement:	16	Panto angle:	8	Cyl's:	2.00



ONS Harwood2.0 - 104P

Matte black / Bamboo
Solid smoke with silver flash (Cat 3)



ONS Harwood2.0 - 105P

Matte dark blue crystal / Bamboo
Solid brown (Cat 3)

Technical Spec

- Polarized HYDROFREAK™ lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- ZEROFORM™ frame
- Bamboo temples

Sizing

A measurement:	57	Temple length:	142	Base curve:	600
B measurement:	45	ED measurement:	64.4	Sph's:	+5.00 / -5.00
DBL measurement:	17	Panto angle:	10	Cyl's:	4.00

HARWOOD2.0 100% biodegradable natural bamboo temples. Your go-to for all day beach vibes this summer.

REAL BAMBOO
HYDROFREAK™ lenses
ZEROFORM™ frame material

Harwood2.0



CORKIE2.0 Spice up your beach or city outfit with a natural cork outer shell.

REAL CORK
HYDROFREAK™ lenses
ZEROFORM™ frame material



ONS Corkie2.0 - 104P

Matte black / Cork
Solid smoke (Cat 3)



ONS Corkie2.0 - 106P

Matte navy / Cork
Solid brown (Cat 3)



ONS Corkie2.0 - 165P

Matte grey crystal / Cork
Solid smoke (Cat 3)

Technical Spec

- Polarized HYDROFREAK™ lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- ZEROFORM™ frame
- Cork temples

Sizing

A measurement:	55	Temple length:	145	Base curve:	600
B measurement:	44	ED measurement:	59	Sph's:	+5.00 / -5.00
DBL measurement:	17	Panto angle:	8	Cyl's:	4.00



SUMBA2.0 the ultimate athleisure oversized high-wrap. Sport to beach with no changes required.

HYDROFREAK™ lenses
ZEROFORM™ frame material
PSYCHOTECH™ contact zones



ONS Sumba2.0 - 104P

Matte black out / Crystal in
Solid smoke (Cat 3)



ONS Sumba2.0 - 151P

Matte sandy pink crystal
Silver flash (Cat 3)



ONS Sumba2.0 - 161P

Matte purple crystal
Brown / Smoke grad (Cat 3)

Technical Spec

- Polarized **HYDROFREAK™** lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- **ZEROFORM™** frame
- **PSYCHOTECH™** contact points

Sizing

A measurement:	60	Temple length:	135	Base curve:	800
B measurement:	41	ED measurement:	64.2	Sph's:	+5.00 / -5.00
DBL measurement:	16	Panto angle:	8	Cyl's:	4.00



ANAHOLA2.0 the sunnie for all occasions. Super light soft-square butterfly style with skull fit temples.

HYDROFREAK™ lenses
ZEROFORM™ frame material



ONS Anahola2.0 - 104P

Rubberised matte black
Solid smoke (Cat 3)



ONS Anahola2.0 - 151P

Gloss pink crystal
Brown / Smoke grad (Cat 3)



ONS Anahola2.0 - 165P

Matte light grey crystal
Teal / Peach grad (Cat 3)

Technical Spec

- Polarized HYDROFREAK™ lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- ZEROFORM™ frame
- PSYCHOTECH™ contact points

Sizing

A measurement:	61	Temple length:	135	Base curve:	600
B measurement:	35.7	ED measurement:	61.6	Sph's:	+5.00 / -5.00
DBL measurement:	15	Panto angle:	12	Cyl's:	4.00



ZEPOL2.0 is a frame for multiple seasons with a classic cut in a larger fit.

HYDROFREAK™ lenses
ZEROFORM™ frame material
PSYCHOTECH™ contact zones



ONS Zepol2.0 - 105P

Matte blue with water spot
Solid smoke (Cat 3)



ONS Zepol2.0 - 108P

Matte grey crystal
Solis purple mirror (Cat 3)



ONS Zepol2.0 - 127P

Matte black / Grey surfboard
Silver mirror (Cat 3)

Technical Spec

- Polarized HYDROFREAK™ lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- ZEROFORM™ frame
- PSYCHOTECH™ contact points

Sizing

A measurement:	62	Temple length:	127	Base curve:	800
B measurement:	40	ED measurement:	64	Sph's:	+3.00 / -3.00
DBL measurement:	18	Panto angle:	13	Cyl's:	2.00

BARREL2.0 is a frame for multiple seasons with a classic cut in a larger fit.

HYDROFREAK™ lenses
ZEROFORM™ frame material
PSYCHOTECH™ contact zones



ONS Barrel2.0 - 104P

Matte black
Blue mirror (Cat 3)



ONS Barrel2.0 - 108P

Matte grey surfboard
Solid smoke (Cat 3)



ONS Barrel2.0 - 122P

Matte tort
Solid green (Cat 3)

Technical Spec

- Polarized HYDROFREAK™ lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- ZEROFORM™ frame
- PSYCHOTECH™ contact points

Sizing

A measurement:	62	Temple length:	136	Base curve:	800
B measurement:	39	ED measurement:	64.0	Sph's:	+3.00 / -3.00
DBL measurement:	19	Panto angle:	12	Cyl's:	2.00



CONVAIR2.0 is a frame for multiple seasons with a classic cut in a larger fit.

HYDROFREAK™ lenses
ZEROFORM™ frame material
PSYCHOTECH™ contact zones



ONS Convair2.0 - 103P

Matte brown / Black brown
Gold flash mirror (Cat 3)



ONS Convair2.0 - 104P

Matte black
Solid smoke (Cat 3)



ONS Convair2.0 - 108P

Matte grey fade pattern
Lime mirror (Cat 3)

Technical Spec

- Polarized HYDROFREAK™ lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- ZEROFORM™ frame
- PSYCHOTECH™ contact points

Sizing

A measurement:	57	Temple length:	139	Base curve:	600
B measurement:	41	ED measurement:	58.0	Sph's:	+5.00 / -5.00
DBL measurement:	18	Panto angle:	11	Cyl's:	4.00

Convair2.0





KEALIA2.0 retro cat-eye featuring soft shell tones and water prints.

HYDROFREAK™ lenses
ZEROFORM™ frame material

Kealia2.0



ONS Kealia2.0 - 104P

Gloss black
Purple / Smoke grad (Cat 3)



ONS Kealia2.0 - 113P

Matte light grey crystal / Water graphic
Solid smoke (Cat 3)



ONS Kealia2.0 - 151P

Matte sandy pink crystal
Pink mirror (Cat 3)



ONS Kealia2.0 - 161P

Matte purple crystal / Tort
Solid smoke (Cat 3)

Technical Spec

- Polarized HYDROFREAK™ lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- ZEROFORM™ frame

Sizing

A measurement:	55	Temple length:	140	Base curve:	600
B measurement:	42.2	ED measurement:	58.7	Sph's:	+5.00 / -5.00
DBL measurement:	18	Panto angle:	13	Cyl's:	4.00



MALIKA2.0 the ultimate lifestyle shape, with coral tones and water prints. It's always summer on this inside.

HYDROFREAK™ lenses
ZEROFORM™ frame material



ONS Malika2.0 - 104P

Gloss black
Solid smoke (Cat 3)



ONS Malika - 151P

Matte coral crystal / Blue flower graphic
Solid smoke (Cat 3)



ONS Malika - 165P

Matte light grey crystal /
Sandy pink / Gold-Pink mirror (Cat 3)

Technical Spec

- Polarized **HYDROFREAK™** lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- **ZEROFORM™** frame

Sizing

A measurement:	55	Temple length:	140	Base curve:	600
B measurement:	43.7	ED measurement:	59.5	Sph's:	+5.00 / -5.00
DBL measurement:	16	Panto angle:	10	Cyl's:	4.00

PAIPO2.0 Stand out amongst the dunes with this cool subtly squared round-eye style with vintage keyhole bridge.

HYDROFREAK™ lenses
ZEROFORM™ frame material



ONS Paipo2.0 - 102P

Gloss tort / Antique gold
Solid green (Cat 3)



ONS Paipo2.0 - 104P

Gloss black crystal / Metallic black
Smoke with silver flash (Cat 3)



ONS Paipo2.0 - 106P

Gloss blue crystal / Gunmetal
Solid smoke (Cat 3)



ONS Paipo2.0 - 112P

Gloss amber crystal / Metallic blue
Solid smoke (Cat 3)

Technical Spec

- Polarized **HYDROFREAK™** lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- **ZEROFORM™** frame

Sizing

A measurement:	52	Temple length:	140	Base curve:	400
B measurement:	44.2	ED measurement:	56.5	Sph's:	+5.00 / -5.00
DBL measurement:	20	Panto angle:	10	Cyl's:	4.00



ENSENADA2.0 Stand out amongst the dunes with this cool subtly squared round-eye style with vintage keyhole bridge.

HYDROFREAK™ lenses
ZEROFORM™ frame material
PSYCHOTECH™ contact zones



ONS Ensenada2.0 - 102P

Matte tort / Gold
Solid brown (Cat 3)



ONS Ensenada2.0 - 104P

Matte black / Gunmetal
Smoke with silver flash (Cat 3)



ONS Ensenada2.0 - 106P

Rubberised matte navy / Black
Solid smoke (Cat 3)



ONS Ensenada2.0 - 113P

Matte crystal / Silver
Blue mirror (Cat 3)

Technical Spec

- Polarized HYDROFREAK™ lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Stainless steel temples
- ZEROFORM™ frame
- PSYCHOTECH™ contact points


Sizing

A measurement:	55	Temple length:	141	Base curve:	600
B measurement:	43.8	ED measurement:	61.5	Sph's:	+5.00 / -5.00
DBL measurement:	17	Panto angle:	9	Cyl's:	4.00



PALIKER2.0 Stand out from the crowd. Trendy slim square with bold temples.

HYDROFREAK™ lenses
ZEROFORM™ frame material



ONS Paliker2.0 - 104P

Matte black
Smoke with silver flash (Cat 3)



ONS Paliker2.0 - 105P

Matte blue crystal
Blue mirror (Cat 3)



ONS Paliker2.0 - 113P

Gloss crystal / Matte fluoro geometric
Solid smoke (Cat 3)

Technical Spec

- Polarized HYDROFREAK™ lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- ZEROFORM™ frame

Sizing

A measurement:	59	Temple length:	140	Base curve:	600
B measurement:	35.7	ED measurement:	61.6	Sph's:	+5.00 / -5.00
DBL measurement:	17	Panto angle:	12	Cyl's:	4.00



POHNPEI2.0 the stylish and classic teardrop aviator. It's always summer on the inside.

HYDROFREAK™ lenses



ONS Pohnpei2.0 - 001P

Matte gold
Solid brown (Cat 3)



ONS Pohnpei2.0 - 002P

Matte silver
Blue mirror (Cat 3)



ONS Pohnpei2.0 - 004P

Matte black
Solid smoke with silver flash (Cat 3)

Technical Spec

- Polarized HYDROFREAK™ lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- Ultra slim temples

Sizing

A measurement:	59	Temple length:	145	Base curve:	600
B measurement:	49.8	ED measurement:	65.0	Sph's:	+5.00 / -5.00
DBL measurement:	15	Panto angle:	8	Cyl's:	4.00

Pohnpei2.0



ALAMEDA2.0 Ice cool navigator shape, a classic for all seasons.

HYDROFREAK™ lenses
ZEROFORM™ frame material



ONS Alameda - 001P

Matte gold / Tort
Solid green (Cat 3)



ONS Alameda - 002P

Matte silver / Waveform graphic
Solid smoke (Cat 3)



ONS Alameda - 005P

Matte gun / Grey to red fade
Iridium mirror (Cat 3)



ONS Alameda - 006P

Matte navy / Water graphic
Smoke with silver flash (Cat 3)

Technical Spec

- Polarized HYDROFREAK™ lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- ZEROFORM™ frame

Sizing

A measurement:	58	Temple length:	140	Base curve:	800
B measurement:	46.4	ED measurement:	67.1	Sph's:	+5.00 / -5.00
DBL measurement:	16	Panto angle:	8	Cyl's:	4.00



COAST2.0 Beach fades and prints, the weekend is just around the corner...

HYDROFREAK™ lenses
ZEROFORM™ frame material



ONS Coast2.0 - 104P

Rubberised matte black
Solid smoke (Cat 3)



ONS Coast2.0 - 105P

Matte blue crystal with water spot
Silver flash (Cat 3)



ONS Coast2.0 - 118P

Gloss amber crystal
Solid green (Cat 3)



ONS Coast2.0 - 151P

Matte coral crystal
Solid smoke (Cat 3)

Technical Spec

- Polarized HYDROFREAK™ lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- ZEROFORM™ frame with metal rims

Sizing

A measurement:	53	Temple length:	143	Base curve:	600
B measurement:	41	ED measurement:	54.0	Sph's:	+5.00 / -5.00
DBL measurement:	18	Panto angle:	12	Cyl's:	4.00





BEACONS2.0 takes your summer beach wear to a different level. The big square is back! Built with corner cuts and contrast touch-points.

ZEROFORM™ frame material
PSYCHOTECH™ contact zones



ONS Beacons2.0 - 106P

Matte navy crystal fade
Blue mirror (Cat 3)



ONS Beacons2.0 - 127P

Matte black
Solid smoke with silver flash (Cat 3)



ONS Beacons2.0 - 165P

Matte grey / Lime fade
Green mirror (Cat 3)

Technical Spec

- Polarized HYDROFREAK™ lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- ZEROFORM™ frame
- PSYCHOTECH™ contact points

Sizing

A measurement:	55	Temple length:	138	Base curve:	600
B measurement:	41.1	ED measurement:	61.3	Sph's:	+5.00 / -5.00
DBL measurement:	18	Panto angle:	13	Cyl's:	4.00



COXOS2.0 an essential silhouette with metallic trim to style up your off-duty wardrobe.

HYDROFREAK™ lenses
ZEROFORM™ frame material



ONS Coxos2.0 - 104P

Matte black
Solid smoke (Cat 3)



ONS Coxos2.0 - 113P

Matte blue water print
Solid smoke with gold flash (Cat 3)

Sizing

A measurement:	55	ED measurement:	59.7
B measurement:	42.9	Panto angle:	12
DBL measurement:	18	Base curve:	600
Temple length:	138		

Technical Spec

- Polarized **HYDROFREAK™** lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- **ZEROFORM™** frame

Sizing

A measurement:	55	Temple length:	138	Base curve:	600
B measurement:	42.9	ED measurement:	59.7	Sph's:	+5.00 / -5.00
DBL measurement:	18	Panto angle:	12	Cyl's:	4.00



GODREVY2.0 will make you feel like it's always summer on the inside with its soft shell tones and waterprints.

HYDROFREAK™ lenses
ZEROFORM™ frame material



ONS Godrevy2.0 - 113P

Matte blue watercolour
Blue mirror (Cat 3)



ONS Godrevy2.0 - 127P

Matte black
Solid smoke (Cat 3)



ONS Godrevy2.0 - 151P

Matte sandy pink
Gold pink mirror (Cat 3)

Technical Spec

- Polarized HYDROFREAK™ lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- ZEROFORM™ frame with metal trim

Sizing

A measurement:	56	Temple length:	140	Base curve:	600
B measurement:	44.8	ED measurement:	61.4	Sph's:	+5.00 / -5.00
DBL measurement:	17	Panto angle:	12	Cyl's:	4.00



HARLYN2.0 is a frame for multiple seasons with a classic cut in a larger fit.

HYDROFREAK™ lenses
ZEROFORM™ frame material



ONS Harlyn2.0 - 102P

Matte tort
Solid brown (Cat 3)



ONS Harlyn2.0 - 127P

Matte black
Solid smoke (Cat 3)



ONS Harlyn2.0 - 165P

Matte grey crystal
Purple mirror (Cat 3)



ONS Harlyn2.0 - 193P

Matte black
Red mirror (Cat 3)

Technical Spec

- Polarized HYDROFREAK™ lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)

- Suitable for prescription glazing
- ZEROFORM™ frame with metal trim

Sizing

A measurement:	57	Temple length:	140	Base curve:	600
B measurement:	44	ED measurement:	64.0	Sph's:	+5.00 / -5.00
DBL measurement:	17	Panto angle:	10	Cyl's:	4.00



CHAGOS2.0 a classic silhouette with waterprints and fades.

HYDROFREAK™ lenses
ZEROFORM™ frame material



Sizing

A measurement:	55	ED measurement:	62.0
B measurement:	44	Panto angle:	11
DBL measurement:	18	Base curve:	800
Temple length:	143		



ONS Chagos2.0 - 104P

Matte black with crystal fade
Solid smoke with light silver flash
mirror (Cat 3)



ONS Chagos2.0 - 113P

Matte blue water
Blue mirror (Cat 3)



ONS Chagos2.0 - 117P

Gloss grey / Multicoloured crystal
Solid smoke (Cat 3)

Technical Spec

- Polarized HYDROFREAK™ lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- ZEROFORM™ frame

Sizing

A measurement:	55	Temple length:	143	Base curve:	800
B measurement:	44	ED measurement:	62.0	Sph's:	+5.00 / -5.00
DBL measurement:	18	Panto angle:	11	Cyl's:	4.00



SHORE2.0 a classic for all seasons, with wave inspired details.

HYDROFREAK™ lenses
ZEROFORM™ frame material



Sizing

A measurement:	55	ED measurement:	58.0
B measurement:	42	Panto angle:	10
DBL measurement:	18	Base curve:	600
Temple length:	142		



ONS Shore2.0 - 105P

Matte ocean blue
Blue mirror (Cat 3)



ONS Shore2.0 - 127P

Matte black
Solid smoke (Cat 3)



ONS Shore2.0 - 197P

Matte black pattern
Solid smoke (Cat 3)

Technical Spec

- Polarized HYDROFREAK™ lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- ZEROFORM™ frame

Sizing

A measurement:	55	Temple length:	142	Base curve:	600
B measurement:	42	ED measurement:	58.0	Sph's:	+5.00 / -5.00
DBL measurement:	18	Panto angle:	10	Cyl's:	4.00



OFFSHORE2.0 a classic for all seasons, with wave inspired details.

HYDROFREAK™ lenses
ZEROFORM™ frame material



Sizing

A measurement:	55	ED measurement:	58.0
B measurement:	42	Panto angle:	10
DBL measurement:	18	Base curve:	600
Temple length:	142		



ONS Offshore2.0 - 104P

Matte black / Olive
Solid green (Cat 3)



ONS Offshore2.0 - 106P

Matte navy crystal
Solid smoke (Cat 3)



ONS Offshore2.0 - 110P

Gloss coral
Solid smoke with silver mirror (Cat 3)



ONS Offshore2.0 - 113P

Gloss clear crystal
Blue mirror (Cat 3)

Technical Spec

- Polarized HYDROFREAK™ lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- ZEROFORM™ frame

Sizing

A measurement:	55	Temple length:	142	Base curve:	600
B measurement:	42	ED measurement:	58.0	Sph's:	+5.00 / -5.00
DBL measurement:	18	Panto angle:	10	Cyl's:	4.00