



SS23 SUNGLASSES COLLECTION

ONS 2023

Introducing 32 RX-able sunglasses for Summer 2023.

HYDROFREAK™ lenses offer exceptional high-quality optics with 5 distinct features

ZEROFORM™ frame material performance material is impact resistant, lightweight and flexible

PSYCHOTECH™ contact zones rubber offers a sweat resistant dry grip

Green Product Award-winning O'Neill BLUE sunglasses continue to expand the sustainable family. BLUEVAIR and BLUEJOLLA are precision formed from recycled fishing nets with recyclable mineral glass lenses.

In the rest of the 2023 sun collection, you'll still find the O'Neill styling trends, hot new colours and prints featured in O'Neill's summer apparel to help you look cool AND stay safe. With frames offering 99% + UVA & UVB protection and polarised lens options, O'Neill sun is your best grab when heading to the ocean.

NEW HYDROFREAK™ lenses


Salt water-resistant polarised lenses

- HYDROPHOBIC COATING
- POLARISED FILTERS
- LIGHTWEIGHT POLYCARBONATE
- IMPACT-RESISTANT
- SCRATCH-RESISTANT
- ENHANCED UV PROTECTION (UVA / UVB 400)
- ANTI-REFLECTIVE TO REDUCE GLARE

O'Neill introduces HYDROFREAK™ lenses, with high quality polarising filters sealed and protected from water damage by adding repellent hydrophobic coat and tough scratch-resistant, backside anti-reflective coating and impact-resistant polycarbonate.

HYDROFREAK™ lenses also bring supreme visual clarity - halo elimination, increased contrast and truer colours.

All O'Neill frames are fitted with lenses to offer enhanced UV400 UVA and UVB protection from sun damage.



PSYCHOTECH™ contact zones

Sweat-resistant dry grip

- NO-SLIP TOUCHPOINTS
- MULTI-POINT IMPACT SHOCK ABSORPTION
- O'NEILL COLOUR BRIGHTS

Wherever O'Neill sunglasses frames make contact with your skin, find soft touch PSYCHOTECH™ rubber precision-moulded to cushion impact and retain a dry grip - even in damp conditions. PSYCHOTECH™ rubber in O'Neill colours means it's always summer on the inside.



ZEROFORM™ frame material

Precision-molded ergonomics for active people

- LIGHTWEIGHT FLEX POLYMER
- DURABLE
- PRECISION-MOULDED CONTOUR FIT
- O'NEILL COLOUR AND FINISH OPTIONS

Active people seek out comfort, flex and durability. The answer to all of these requirements lies in ZEROFORM™ - a synthetic polymer, elastic enough to give flex and secure fit, strong enough to resist impact, and lightweight for all day wear.

We pushed ZEROFORM™ to the limit and designed a whole collection of sunglasses combining them with the best of O'Neill lens technologies. The results are here, with the very best of vision protection featuring UV400 polarisation, hydrophobic quick drying lenses and strategic PSYCHOTECH™ contact zones.





ONS WOVE2.0 - 127P

Matte black
Solid green (Cat 3)

ONS WOVE2.0

Ghostnets and recyclable rubber. Repurposed ocean waste combines with natural mineral glass lenses – every element thoughtfully aligned with O'Neill's BLUE mission to protect our oceans.



PRECISION FORMED FROM RECYCLED FISHING NETS
RECYCLABLE MINERAL GLASS LENSES
RECYCLABLE RUBBER TOUCH POINTS



**Green
Product
Award**
Winner
2021

TECHNICAL SPEC

- Mineral glass lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- Made from recycled fishing nets and recyclable natural rubber

SIZING

A measurement:	64	Temple length:	131	Base curve:	800
B measurement:	43.7	ED measurement:	60.3	Sph's:	+3.00 / -3.00
DBL measurement:	17	Panto angle:	11	Cyl's:	2.00



ONS BLUEVAIR2.0 - 104P

Matte black

Solid smoke (Cat 3)

ONS BLUEVAIR2.0

Ghostnets and recyclable rubber. Repurposed ocean waste combines with natural mineral glass lenses – every element thoughtfully aligned with O'Neill's BLUE mission to protect our oceans.



PRECISION FORMED FROM RECYCLED FISHING NETS
RECYCLABLE MINERAL GLASS LENSES
RECYCLABLE RUBBER TOUCH POINTS

TECHNICAL SPEC

- Mineral glass lenses polarized
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- Made from recycled fishing nets and recyclable natural rubber

SIZING

A measurement:	58	Temple length:	144	Base curve:	600
B measurement:	41.5	ED measurement:	63.2	Sph's:	TBC
DBL measurement:	17	Panto angle:	12	Cyl's:	TBC



ONS BLUEJOLLA2.0 - 104P

Matte black

Solid smoke (Cat 3)

ONS BLUEJOLLA2.0

Ghostnets and recyclable rubber. Repurposed ocean waste combines with natural mineral glass lenses – every element thoughtfully aligned with O'Neill's BLUE mission to protect our oceans.



PRECISION FORMED FROM RECYCLED FISHING NETS
RECYCLABLE MINERAL GLASS LENSES
RECYCLABLE RUBBER TOUCH POINTS

TECHNICAL SPEC

- Mineral glass lenses polarized
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- Made from recycled fishing nets and recyclable natural rubber

SIZING

A measurement:	54	Temple length:	145	Base curve:	600
B measurement:	45.6	ED measurement:	58.9	Sph's:	TBC
DBL measurement:	19	Panto angle:	?	Cyl's:	TBC



ONS BLUEJOLLA2.0





ONS BLUELYN2.0 - 127P

Matte black
Solid green (Cat 3)

ONS BLUELYN2.0

Ghostnets and recyclable rubber. Repurposed ocean waste combines with natural mineral glass lenses – every element thoughtfully aligned with O'Neill's BLUE mission to protect our oceans.



PRECISION FORMED FROM RECYCLED FISHING NETS
RECYCLABLE MINERAL GLASS LENSES
RECYCLABLE RUBBER TOUCH POINTS

TECHNICAL SPEC

- Mineral glass lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- Made from recycled fishing nets and recyclable natural rubber

SIZING

A measurement:	57	Temple length:	140	Base curve:	600
B measurement:	45.5	ED measurement:	64.7	Sph's:	+3.00 / -3.00
DBL measurement:	17	Panto angle:	12	Cyl's:	2.00





ONS BLUESHORE2.0 - I27P

Matte black
Solid green (Cat 3)

ONS BLUESHORE2.0

Ghostnets and recyclable rubber. Repurposed ocean waste combines with natural mineral glass lenses – every element thoughtfully aligned with O'Neill's BLUE mission to protect our oceans.



PRECISION FORMED FROM RECYCLED FISHING NETS
RECYCLABLE MINERAL GLASS LENSES
RECYCLABLE RUBBER TOUCH POINTS

TECHNICAL SPEC

- Mineral glass lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- Made from recycled fishing nets and recyclable natural rubber

SIZING

A measurement:	58	Temple length:	140	Base curve:	600
B measurement:	46.4	ED measurement:	60	Sph's:	+3.00 / -3.00
DBL measurement:	16	Panto angle:	8	Cyl's:	2.00



ONS HARWOOD2.0

100% biodegradable natural bamboo temples.
Your go-to for all day beach vibes this summer.

REAL BAMBOO
HYDROFREAK™ lenses
ZEROFORM™ frame material



ONS HARWOOD2.0 - I04P

Matte black / Bamboo
Solid smoke with silver flash (Cat 3)



ONS HARWOOD2.0 - I05P

Matte dark blue crystal / Bamboo
Solid brown (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- ZEROFORM™ frame
- Bamboo temples

SIZING

A measurement:	57	Temple length:	142	Base curve:	600
B measurement:	45	ED measurement:	64.4	Sph's:	+5.00 / -5.00
DBL measurement:	7	Panto angle:	10	Cyl's:	4.00





ONS 9002 - 2.0

High wrap performance sports model with side shields and rubber tips.

HYDROFREAK™ lenses

ZEROFORM™ frame material

PSYCHOTECH™ contact zones



ONS 9002 2.0 - 104P

Matte black / Grey
Smoke with silver flash (Cat 3)



ONS 9002 2.0 - 105P

Matte blue crystal / Hydro spots
Solid smoke (Cat 3)



ONS 9002 2.0 - 113P

Gloss clear crystal / Black
Red mirror (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- ZEROFORM™ frame
- PSYCHOTECH™ contact points

SIZING

A measurement:	62	Temple length:	129	Base curve:	800
B measurement:	39.6	ED measurement:	66.5	Sph's:	TBC
DBL measurement:	17	Panto angle:	12	Cyl's:	TBC





ONS BARREL2.0

High wrap performance sports model with colour temple detailing.

HYDROFREAK™ lenses

ZEROFORM™ frame material

PSYCHOTECH™ contact zones



ONS BARREL2.0 - I04P

Matte black
Blue mirror (Cat 3)



ONS BARREL2.0 - I08P

Matte grey surfboard
Solid smoke (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- ZEROFORM™ frame
- PSYCHOTECH™ contact points

SIZING

A measurement:	62	Temple length:	136	Base curve:	800
B measurement:	39	ED measurement:	64	Sph's:	+3.00 / -3.00
DBL measurement:	19	Panto angle:	12	Cyl's:	2.00



ONS CONVAIR2.0

is a frame for multiple seasons with signature O'Neill branding.

HYDROFREAK™ lenses

ZEROFORM™ frame material

PSYCHOTECH™ contact zones



ONS CONVAIR2.0 - I03P

Matte brown / Black brown
Gold flash mirror (Cat 3)



ONS CONVAIR2.0 - I04P

Matte black
Solid smoke (Cat 3)



ONS CONVAIR2.0 - I08P

Matte grey fade pattern
Lime mirror (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- ZEROFORM™ frame
- PSYCHOTECH™ contact points

SIZING

A measurement:	57	Temple length:	139	Base curve:	600
B measurement:	41	ED measurement:	58	Sph's:	+5.00 / -5.00
DBL measurement:	18	Panto angle:	11	Cyl's:	4.00





ONS ZEPOL2.0

High wrap performance sports model.

HYDROFREAK™ lenses

ZEROFORM™ frame material

PSYCHOTECH™ contact zones



ONS ZEPOL2.0 - 105P

Matte blue with water spot
Solid smoke (Cat 3)



ONS ZEPOL2.0 - 108P

Matte black / Grey surfboard
Silver mirror (Cat 3)



ONS ZEPOL2.0 - 127P

Matte black / Red
Silver mirror (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- ZEROFORM™ frame
- PSYCHOTECH™ contact points

SIZING

A measurement:	62	Temple length:	127	Base curve:	800
B measurement:	40	ED measurement:	64	Sph's:	+3.00 / -3.00
DBL measurement:	18	Panto angle:	13	Cyl's:	2.00



ONS 9004 - 2.0

A frame for multiple seasons.

HYDROFREAK™ lenses
ZEROFORM™ frame material



ONS 9004 2.0 - I04P

Matte black
Ice blue mirror (Cat 3)



ONS 9004 2.0 - I05P

Gloss blue crystal
Smoke with silver flash (Cat 3)



ONS 9004 2.0 - I13P

Gloss clear crystal
Red mirror (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- ZEROFORM™ frame

SIZING

A measurement:	63	Temple length:	140	Base curve:	600
B measurement:	40	ED measurement:	68	Sph's:	TBC
DBL measurement:	14	Panto angle:	12	Cyl's:	TBC



ONS 9005 - 2.0

The big square, a classic cut in a large fit.

HYDROFREAK™ lenses

ZEROFORM™ frame material



ONS 9005 2.0 - 102P

Matte tortoise
Solid green (Cat 3)



ONS 9005 2.0 - 104P

Matte black
Smoke with silver flash (Cat 3)



ONS 9005 2.0 - 109P

Matte khaki crystal
Gold mirror (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- ZEROFORM™ frame

SIZING

A measurement:	58	Temple length:	140	Base curve:	600
B measurement:	44.3	ED measurement:	63.9	Sph's:	TBC
DBL measurement:	17	Panto angle:	12	Cyl's:	TBC



ONS 9006 - 2.0

Cool subtly square vintage keyhole, with sleek stainless steel & rubber contact points.

HYDROFREAK™ lenses

ZEROFORM™ frame material

PSYCHOTECH™ contact zones



ONB 9006 2.0 - 104P

Matte black / Gun
Solid smoke (Cat 3)



ONS 9006 2.0 - 105P

Matte blue crystal / Gun
Solid smoke (Cat 3)



ONS 9006 2.0 - 109P

Matte khaki crystal / Gun
Gold mirror (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- PSYCHOTECH™ contact points
- ZEROFORM™ frame

SIZING

A measurement:	56	Temple length:	140	Base curve:	600
B measurement:	41.6	ED measurement:	63.1	Sph's:	TBC
DBL measurement:	16	Panto angle:	12	Cyl's:	TBC



ONS 9007 - 2.0

Retro styling with embossed core wire design.

HYDROFREAK™ lenses
ZEROFORM™ frame material



ONS 9007 2.0 - 104P

Matte black / Grey crystal
Smoke with silver flash (Cat 3)



ONS 9007 2.0 - 106P

Matte navy crystal
Ice blue mirror (Cat 3)



ONS 9007 2.0 - 108P

Matte grey crystal
Solid green (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- ZEROFORM™ frame

SIZING

A measurement:	52	Temple length:	145	Base curve:	600
B measurement:	42.1	ED measurement:	58.3	Sph's:	TBC
DBL measurement:	17	Panto angle:	12	Cyl's:	TBC



ONS 9008 - 2.0

The classic round eye with embossed core wire design. Made from a plant based material. A sustainable and bio-based O'Neill response to the plastic problem our oceans are facing.

HYDROFREAK™ lenses

ZEROFORM™ frame material



ONS 9008 2.0 - 102P

Matte tort / Grey crystal
Solid green (Cat 3)



ONS 9008 2.0 - 105P

Matte blue crystal / Clear
Ice blue mirror (Cat 3)



ONS 9008 2.0 - 108P

Matte grey crystal
Smoke with silver flash (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- ZEROFORM™ frame

SIZING

A measurement:	51	Temple length:	145	Base curve:	600
B measurement:	42.5	ED measurement:	54.9	Sph's:	TBC
DBL measurement:	19	Panto angle:	20	Cyl's:	TBC





ONS 9009 - 2.0

A soft round-eye shape with thick cut temples.

HYDROFREAK™ lenses

ZEROFORM™ frame material



ONS 9009 2.0 - 100P

Gloss crystal birch / Blue crystal
Solid brown (Cat 3)



ONS 9009 2.0 - 104P

Matte black / Gloss crystal
Solid smoke (Cat 3)



ONS 9009 2.0 - 172P

Gloss berry crystal
Berry to gold grad (Cat 2)

TECHNICAL SPEC

- Polarized HYDROFREAK™ lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 2 & 3 (3 suitable for driving)
- Suitable for prescription glazing
- ZEROFORM™ frame

SIZING

A measurement:	54	Temple length:	145	Base curve:	600
B measurement:	48.2	ED measurement:	56.8	Sph's:	TBC
DBL measurement:	20	Panto angle:	13	Cyl's:	TBC



ONS 9010 - 2.0

Soft square butterfly shape for all occasions.

HYDROFREAK™ lenses

ZEROFORM™ frame material



ONS 9010 2.0 - 102P

Gloss tort
Solid green (Cat 3)



ONS 9010 2.0 - 104P

Gloss black
Smoke to berry grad (Cat 3)



ONS 9010 2.0 - 105P

Matte blue crystal
Solid smoke (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 2 & 3 (3 suitable for driving)
- Suitable for prescription glazing
- ZEROFORM™ frame

SIZING

A measurement:	56	Temple length:	140	Base curve:	600
B measurement:	45	ED measurement:	61.5	Sph's:	TBC
DBL measurement:	16	Panto angle:	9	Cyl's:	TBC



ONS 9011 - 2.0

The classic cat-eye - the O'Neill version.

HYDROFREAK™ lenses

ZEROFORM™ frame material



ONS 9011 2.0 - 100P

Matte birch crystal / Berry
Solid smoke (Cat 3)



ONS 9011 2.0 - 104P

Gloss black / Pink
Solid smoke (Cat 3)



ONS 9011 2.0 - 106P

Matte navy / Lilac
Navy to purple grad (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 2 & 3 (3 suitable for driving)
- Suitable for prescription glazing
- ZEROFORM™ frame

SIZING

A measurement:	51	Temple length:	145	Base curve:	600
B measurement:	41.7	ED measurement:	54.7	Sph's:	TBC
DBL measurement:	20	Panto angle:	12	Cyl's:	TBC





ONS 9012 - 2.0

Chunky slim square.

HYDROFREAK™ lenses

ZEROFORM™ frame material



ONS 9012 2.0 - 100P

Gloss birch crystal
Solid brown (Cat 3)



ONS 9012 2.0 - 104P

Gloss black / Crystal
Smoke with silver flash (Cat 3)



ONS 9012 2.0 - 105P

Matte crystal blue / Tie dye
Solid smoke (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 2 & 3 (3 suitable for driving)
- Suitable for prescription glazing
- ZEROFORM™ frame

SIZING

A measurement:	53	Temple length:	140	Base curve:	600
B measurement:	36	ED measurement:	56	Sph's:	TBC
DBL measurement:	20	Panto angle:	9	Cyl's:	TBC



ONS 9014 - 2.0

A stand-out female style with eye catching tie-dye inspired temple detailing.

HYDROFREAK™ lenses

ZEROFORM™ frame material



ONS 9014 2.0 - 105P

Matte blue crystal / Tie dye
Solid smoke (Cat 3)



ONS 9014 2.0 - 120P

Matte purple / Tie dye
Solid smoke (Cat 3)



ONS 9014 2.0 - 195P

Gloss black tort
Gold mirror (Cat 2)

TECHNICAL SPEC

- Polarized HYDROFREAK™ lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 2 & 3 (3 suitable for driving)
- Suitable for prescription glazing
- ZEROFORM™ frame

SIZING

A measurement:	55	Temple length:	140	Base curve:	600
B measurement:	42.2	ED measurement:	58.7	Sph's:	TBC
DBL measurement:	18	Panto angle:	13	Cyl's:	TBC





ONS 9015 - 2.0

A stand-out female style with eye catching tie-dye inspired temple detailing.

HYDROFREAK™ lenses

ZEROFORM™ frame material



ONS 9015 2.0 - 113P

Gloss crystal / Tie dye
Solid smoke (Cat 3)



ONS 9015 2.0 - 160P

Matte crystal berry
Solid smoke (Cat 3)



ONS 9015 2.0 - 195P

Gloss black tort
Smoke with silver flash (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 2 & 3 (3 suitable for driving)
- Suitable for prescription glazing
- ZEROFORM™ frame

SIZING

A measurement:	55	Temple length:	140	Base curve:	600
B measurement:	43.7	ED measurement:	59.5	Sph's:	+5.00 / -5.00
DBL measurement:	16	Panto angle:	8	Cyl's:	4.00



ONS 9013 - 2.0

Vintage inspired metal style, bringing fashion and functionality.

HYDROFREAK™ lenses



ONS 9013 2.0 - 001P

Satin gold
Solid green (Cat 3)



ONS 9013 2.0 - 002P

Matte silver
Blue mirror (Cat 3)



ONS 9013 2.0 - 004P

Matte black
Smoke with silver flash (Cat 3)



ONS 9013 2.0 - 072P

Satin pink / Rose gold
Pink mirror (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- Ultra slim temples

SIZING

A measurement:	52	Temple length:	140	Base curve:	450
B measurement:	46	ED measurement:	55.2	Sph's:	TBC
DBL measurement:	19	Panto angle:	8	Cyl's:	TBC





ONS POHNPEI2.0

the stylish and classic teardrop aviator.

HYDROFREAK™ lenses



ONS POHNPEI2.0 - 001P

Matte gold
Solid green (Cat 3)



ONS POHNPEI2.0 - 002P

Matte silver
Blue mirror (Cat 3)



ONS POHNPEI2.0 - 004P

Matte black
Solid smoke with silver flash (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- Ultra slim temples

SIZING

A measurement:	59	Temple length:	145	Base curve:	600
B measurement:	49.8	ED measurement:	65	Sph's:	+5.00 / -5.00
DBL measurement:	15	Panto angle:	8	Cyl's:	4.00



ONS PRAIA2.0

Large oversized square, a frame for all seasons.

HYDROFREAK™ lenses
ZEROFORM™ frame material



ONS PRAIA2.0 - 100P

Gloss crystal birch / Navy
Navy to yellow grad (Cat 3)



ONS PRAIA2.0 - 172P

Gloss crystal pink
Smoke to berry grad (Cat 3)



ONS PRAIA2.0 - 195P

Gloss black tort
Smoke grad (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- ZEROFORM™ frame

SIZING

A measurement:	58	Temple length:	148	Base curve:	600
B measurement:	46	ED measurement:	63	Sph's:	TBC
DBL measurement:	15	Panto angle:	12	Cyl's:	TBC





ONS HARLYN2.0

is a frame for multiple seasons with a classic cut in a larger fit.

HYDROFREAK™ lenses
ZEROFORM™ frame material



ONS HARLYN2.0 - 102P

Matte tort
Solid brown (Cat 3)



ONS HARLYN2.0 - 127P

Matte black
Solid smoke (Cat 3)



ONS HARLYN2.0 - 165P

Matte grey crystal
Purple mirror (Cat 3)



ONS HARLYN2.0 - 193P

Matte black
Red mirror (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- ZEROFORM™ frame

SIZING

A measurement:	57	Temple length:	140	Base curve:	600
B measurement:	44	ED measurement:	64	Sph's:	+5.00 / -5.00
DBL measurement:	17	Panto angle:	10	Cyl's:	4.00



ONS ENSENADA2.0

Stand out amongst the dunes with this cool subtly squared round-eye style with vintage keyhole bridge.

HYDROFREAK™ lenses

ZEROFORM™ frame material

PSYCHOTECH™ contact zones



ONS ENSENADA2.0 - 102P

Matte tort / Gold
Solid brown (Cat 3)



ONS ENSENADA2.0 - 104P

Matte black / Gunmetal
Smoke with silver flash (Cat 3)



ONS ENSENADA2.0 - 106P

Rubberised matte navy / Black
Solid smoke (Cat 3)



ONS ENSENADA2.0 - 113P

Matte crystal / Silver
Blue mirror (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- ZEROFORM™ frame
- PSYCHOTECH™ contact points

SIZING

A measurement:	55	Temple length:	141	Base curve:	600
B measurement:	43.8	ED measurement:	61.5	Sph's:	+5.00 / -5.00
DBL measurement:	17	Panto angle:	9	Cyl's:	4.00



ONS PAIPO2.0

Stand out amongst the dunes with this cool subtly squared round-eye style with a vintage keyhole bridge.

HYDROFREAK™ lenses
ZEROFORM™ frame material



ONS PAIPO2.0 - 102P

Gloss tort / Antique gold
Solid green (Cat 3)



ONS PAIPO2.0 - 104P

Gloss black crystal / Metallic black
Smoke with silver flash (Cat 3)



ONS PAIPO2.0 - 106P

Gloss blue crystal / Gunmetal
Solid smoke (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- ZEROFORM™ frame

SIZING

A measurement:	52	Temple length:	140	Base curve:	400
B measurement:	44.2	ED measurement:	56.5	Sph's:	+5.00 / -5.00
DBL measurement:	20	Panto angle:	10	Cyl's:	4.00



ONS COAST2.0 - 104P

Rubberised matte black
Solid smoke (Cat 3)



ONS COAST2.0 - 151P

Matte coral crystal
Solid smoke (Cat 3)

ONS COAST2.0

Beach fades and prints, the weekend is just around the corner...

HYDROFREAK™ lenses
ZEROFORM™ frame material

TECHNICAL SPEC

- Polarized HYDROFREAK™ lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- ZEROFORM™ frame

SIZING

A measurement:	53	Temple length:	143	Base curve:	600
B measurement:	41	ED measurement:	54	Sph's:	+5.00 / -5.00
DBL measurement:	18	Panto angle:	12	Cyl's:	4.00





ONS KEALIA2.0

Retro cat-eye featuring soft shell tones and water prints.

HYDROFREAK™ lenses
ZEROFORM™ frame material



ONS KEALIA2.0 - 104P

Gloss black
Purple / Smoke grad (Cat 3)



ONS KEALIA2.0 - 113P

Matte light grey crystal / Water graphic
Solid smoke (Cat 3)



ONS KEALIA2.0 - 106P

Matte sandy pink crystal
Pink mirror (Cat 3)



ONS KEALIA2.0 - 106P

Matte purple crystal / Tort
Solid smoke (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- ZEROFORM™ frame

SIZING

A measurement:	55	Temple length:	140	Base curve:	600
B measurement:	42.2	ED measurement:	58.7	Sph's:	+5.00 / -5.00
DBL measurement:	18	Panto angle:	13	Cyl's:	4.00



ONS MALIKA2.0

The ultimate lifestyle shape, with coral tones and water prints.

HYDROFREAK™ lenses
ZEROFORM™ frame material



ONS MALIKA2.0 - 104P

Gloss black
Solid smoke (Cat 3)



ONS MALIKA2.0 - 151P

Matte coral crystal / Blue flower graphic
Solid smoke (Cat 3)



ONS MALIKA2.0 - 165P

Matte light grey crystal / Sandy pink
Gold pink mirror (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- ZEROFORM™ frame

SIZING

A measurement:	55	Temple length:	140	Base curve:	600
B measurement:	43.7	ED measurement:	59.5	Sph's:	+5.00 / -5.00
DBL measurement:	16	Panto angle:	10	Cyl's:	4.00