

A man and a woman are shown from the chest up, wearing sunglasses and tropical-themed clothing. The man on the left has a mustache and is wearing a dark shirt with a colorful floral and leaf pattern. The woman on the right has blonde hair and is wearing a white bikini top with a similar floral pattern. They are both looking towards the left. The background is a clear blue sky. In the top right corner, the O'Neill logo is displayed. At the bottom center, the text "2024 SUNGLASSES COLLECTION" is written in white capital letters.

O'NEILL

2024 SUNGLASSES COLLECTION

ONS 2024

Introducing 23 RX-able models with 64 colours for Summer 2024.

Carryovers: 20 RX-able models with 47 colours.

Total including carryovers: 43 RX-able models with 111 colours.

HYDROFREAK™ lenses offer exceptional high-quality optics with 5 distinct features

ZEROFORM™ frame material performance material is impact resistant, lightweight and flexible

PSYCHOTECH™ contact zones rubber offers a sweat resistant dry grip

Discover the latest O'Neill styling trends, vibrant colours, and captivating prints showcased in the 2024 sun collection. Embrace the essence of O'Neill's summer apparel, combining fashion and safety for a cool and protected look. The sunglasses in this collection provide exceptional 99%+ UVA & UVB protection and offer polarized lens options, making O'Neill the ideal choice when you're off to the beach.


HYDROFREAK™ LENSES

Salt water-resistant polarised lenses

Introducing O'Neill's HYDROFREAK™ lenses: top-tier polarizing filters with water-repellent hydrophobic coating, scratch-resistant and anti-reflective backside, and impact-resistant polycarbonate.

Enjoy supreme visual clarity—halo elimination, increased contrast, and truer colours.

All O'Neill frames feature these lenses for enhanced UV400 UVA and UVB protection against sun damage.



- Hydrophobic
- Mirror coating (Optional)
- Scratch resistant
- Polarisation film
- Polycarbonate 100% UV protection
- Scratch resistant
- Anti-reflective
- Hydrophobic



PSYCHOTECH™ contact zones

Sweat-resistant dry grip

- ◆ SWEAT RESISTANT DRY GRIP
- ◆ NO-SLIP TOUCHPOINTS
- ◆ MULTI-POINT IMPACT SHOCK ABSORPTION
- ◆ O'NEILL COLOUR BRIGHTS

Wherever O'Neill sunglasses frames make contact with your skin, find soft touch PSYCHOTECH™ rubber precision-moulded to cushion impact and retain a dry grip - even in damp conditions. PSYCHOTECH™ rubber in O'Neill colours means it's always summer on the inside.

ZEROFORM™ frame material

Precision-moulded ergonomics for active people

- ◆ SWEAT-RESISTANT DRY GRIP
- ◆ NO SLIP TOUCHPOINTS
- ◆ MULTI-POINT IMPACT SHOCK ABSORPTION
- ◆ O'NEILL COLOUR AND FINISH OPTIONS

Active people seek out comfort, flex and durability. The answer to all of these requirements lies in ZEROFORM™ - a synthetic polymer, elastic enough to give flex and secure fit, strong enough to resist impact, and lightweight for all day wear.

We pushed ZEROFORM™ to the limit and designed a whole collection of sunglasses combining them with the best of O'Neill lens technologies. The results are here, with the very best of vision protection featuring UV400 polarisation, hydrophobic quick drying lenses and strategic PSYCHOTECH™ contact zones.





ONS 9016-2.0

A frame for multiple seasons.
100% biodegradable natural bamboo temples.

HYDROFREAK™ lenses
ZEROFORM™ frame material



ONS 9016-2.0 - 102P

Matte tortoise / Bamboo
Solid green (Cat 3)



ONS 9016-2.0 - 104P

Matte black / Bamboo
Blue mirror (Cat 3)



ONS 9016-2.0 - 106P

Matte navy / Bamboo
Smoke with silver flash (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ Lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- ZEROFORM™ frame
- Bamboo temples

SIZING

A measurement:	55	Temple length:	142
B measurement:	44.9		
DBL measurement:	17		



ONS 9017-2.0

High wrap performance sports model with integrated rubber side shield.

HYDROFREAK™ lenses
ZEROFORM™ frame material
PSYCHOTECH™ contact zones



ONS 9017-2.0 - 104P

Matte black / Grey
Silver grey (Cat 3)



ONS 9017-2.0 - 106P

Matte navy / Lime
Green mirror (Cat 3)



ONS 9017-2.0 - 108P

Matte grey / Blue
Solid smoke (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ Lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- ZEROFORM™ frame
- PSYCHOTECH™ contact points

SIZING

A measurement:	63	Temple length:	132
B measurement:	41.3		
DBL measurement:	16		



ONS 9018-2.0

High wrap performance sports model with side shields and rubber tips.

HYDROFREAK™ lenses
ZEROFORM™ frame material
PSYCHOTECH™ contact zones



ONS 9018-2.0 - 104P

Matte black / Blue
Solid smoke (Cat 3)



ONS 9018-2.0 - 106P

Matte navy / Grey
Silver mirror (Cat 3)



ONS 9018-2.0 - 107P

Matte green / Lime
Green mirror (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ Lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- ZEROFORM™ frame
- PSYCHOTECH™ contact points

SIZING

A measurement:	63	Temple length:	129
B measurement:	39.6		
DBL measurement:	17		



ONS 9019-2.0

High wrap performance sports model with oversized logo branding.

HYDROFREAK™ lenses
ZEROFORM™ frame material
PSYCHOTECH™ contact zones



ONS 9019-2.0 - 102P

Matte tort / Black
Solid green (Cat 3)



ONS 9019-2.0 - 108P

Matte grey crystal / Red
Red mirror (Cat 3)



ONS 9019-2.0 - 127P

Matte black / Blue
Blue mirror (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ Lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- ZEROFORM™ frame
- PSYCHOTECH™ contact points

SIZING

A measurement:	64	Temple length:	132
B measurement:	42.6		
DBL measurement:	16		



ONS 9020-2.0

High wrap sports performance model with rubber tips.



HYDROFREAK™ lenses
ZEROFORM™ frame material
PSYCHOTECH™ contact zones



ONS 9020-2.0 - 102P

Matte tort / Blue
Solid green (Cat 3)



ONS 9020-2.0 - 104P

Matte black / Red
Red mirror (Cat 3)



ONS 9020-2.0 - 106P

Matte navy / Grey
Silver mirror (Cat 3)



ONS 9020-2.0 - 108P

Matte grey / Green
Green mirror (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ Lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- ZEROFORM™ frame
- PSYCHOTECH™ contact points

SIZING

A measurement:	64	Temple length:	129
B measurement:	41		
DBL measurement:	16		



ONS 9021-2.0

High wrap performance sports model with integrated detail.

HYDROFREAK™ lenses
ZEROFORM™ frame material
PSYCHOTECH™ contact zones



ONS 9021-2.0 - 104P

Matte black rubberised / Blue
Blue mirror (Cat 3)



ONS 9021-2.0 - 106P

Matte blue / Grey
Solid smoke (Cat 3)



ONS 9021-2.0 - 108P

Matte grey / Red
Solid smoke (Cat 3)



ONS 9021-2.0 - 113P

Gloss clear crystal / Black
Red mirror (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ Lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- ZEROFORM™ frame
- PSYCHOTECH™ contact points

SIZING

A measurement:	62	Temple length:	137
B measurement:	41.6		
DBL measurement:	17		



ONS 9022-2.0

is a frame for multiple seasons with signature rubber O'Neill branding.

HYDROFREAK™ lenses
ZEROFORM™ frame material
PSYCHOTECH™ contact zones



ONS 9022-2.0 - 104P

Matte black / Lime
Green mirror (Cat 3)



ONS 9022-2.0 - 108P

Matte grey / Blue
Blue mirror (Cat 3)



ONS 9022-2.0 - 119P

Water / White
Silver mirror (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ Lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- ZEROFORM™ frame
- PSYCHOTECH™ contact points

SIZING

A measurement:	57	Temple length:	140
B measurement:	38		
DBL measurement:	19		



ONS 9023-2.0

is a frame for multiple seasons with signature O'Neill branding.

HYDROFREAK™ lenses
ZEROFORM™ frame material
PSYCHOTECH™ contact zones



ONS 9023-2.0 - 104P

Matte black / Red
Red mirror (Cat 3)



ONS 9023-2.0 - 113P

Gloss crystal / Blue
Blue mirror (Cat 3)



ONS 9023-2.0 - 119P

Matte water
Solid smoke (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ Lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- ZEROFORM™ frame
- PSYCHOTECH™ contact points

SIZING

A measurement:	61	Temple length:	140
B measurement:	40.8		
DBL measurement:	16		



ONS 9024-2.0

Angular square frame with rubber branding.

HYDROFREAK™ lenses
ZEROFORM™ frame material
PSYCHOTECH™ contact zones



ONS 9024-2.0 - 104P

Matte black / Red
Red mirror (Cat 3)



ONS 9024-2.0 - 108P

Matte grey / Green
Green mirror (Cat 3)



ONS 9024-2.0 - 113P

Gloss crystal / Blue
Blue mirror (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ Lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- ZEROFORM™ frame
- PSYCHOTECH™ contact points

SIZING

A measurement:	60	Temple length:	140
B measurement:	43.4		
DBL measurement:	16		



ONS 9025-2.0

The ultimate lifestyle shape with wave inspired temple detailing.

HYDROFREAK™ lenses
ZEROFORM™ frame material



ONS 9025-2.0 - 104P

Matte black / Blue
Blue mirror (Cat 3)



ONS 9025-2.0 - 108P

Matte grey / Lime
Green mirror (Cat 3)



ONS 9025-2.0 - 113P

Gloss crystal / Red
Red mirror (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ Lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- ZEROFORM™ frame

SIZING

A measurement:	57	Temple length:	140
B measurement:	41.1		
DBL measurement:	17		



ONS 9027-2.0

Retro styling with sharp angles and integral line details.

HYDROFREAK™ lenses
ZEROFORM™ frame material
PSYCHOTECH™ contact zones



ONS 9027-2.0 - 104P

Matte black / Green
Green mirror (Cat 3)



ONS 9027-2.0 - 106P

Matte navy / Crystal
Solid smoke (Cat 3)



ONS 9027-2.0 - 108P

Matte grey / Blue
Blue mirror (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ Lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- ZEROFORM™ frame
- PSYCHOTECH™ contact points

SIZING

A measurement:	57	Temple length:	140
B measurement:	44		
DBL measurement:	17		



ONS 9028-2.0

is a frame for multiple seasons with signature O'Neill rubber branding.

HYDROFREAK™ lenses
ZEROFORM™ frame material
PSYCHOTECH™ contact zones



ONS 9028-2.0 - 102P

Matte tort / Black
Solid green (Cat 3)



ONS 9028-2.0 - 104P

Matte black / White
Smoke with silver flash (Cat 3)



ONS 9028-2.0 - 106P

Matte navy / Green
Green mirror (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ Lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- ZEROFORM™ frame
- PSYCHOTECH™ contact points

SIZING

A measurement:	64	Temple length:	135
B measurement:	43.2		
DBL measurement:	16		



ONS 9029-2.0

Stand out amongst the dunes with this easy to wear frame.

HYDROFREAK™ lenses
ZEROFORM™ frame material
PSYCHOTECH™ contact zones



ONS 9029-2.0 - 104P

Matte black / Blue
Blue mirror (Cat 3)



ONS 9029-2.0 - 107P

Matte green / Black
Green mirror (Cat 3)



ONS 9029-2.0 - 108P

Matte grey / Red
Red mirror (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ Lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- ZEROFORM™ frame
- PSYCHOTECH™ contact points

SIZING

A measurement:	57	Temple length:	140
B measurement:	40.2		
DBL measurement:	19		



ONS 9030-2.0

is a frame for multiple seasons with signature O'Neill branding.

HYDROFREAK™ lenses
ZEROFORM™ frame material



ONS 9030-2.0 - 100P

Gloss crystal birch / Blue crystal
Navy-yellow grad (Cat 3)



ONS 9030-2.0 - 102P

Matte tort
Solid green (Cat 3)



ONS 9030-2.0 - 104P

Matte black / Pink
Pink mirror (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ Lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- ZEROFORM™ frame

SIZING

A measurement:	52	Temple length:	140
B measurement:	40.7		
DBL measurement:	20		



ONS 9032-2.0

A stand-out female style with bespoke O'Neill graphics.

HYDROFREAK™ lenses
ZEROFORM™ frame material



ONS 9032-2.0 - 104P

Black / Pink
Pink mirror (Cat 3)



ONS 9032-2.0 - 105P

Blue / Paint
Solid smoke (Cat 3)



ONS 9032-2.0 - 113P

Crystal clear / Infinity
Solid smoke (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ Lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- ZEROFORM™ frame

SIZING

A measurement:	59	Temple length:	133
B measurement:	42		
DBL measurement:	16		



ONS 9033-2.0

Subtly square with vintage keyhole.

HYDROFREAK™ lenses
ZEROFORM™ frame material



ONS 9033-2.0 - 100P

Gloss birch / Paint
Solid smoke (Cat 3)



ONS 9033-2.0 - 102P

Matte tort
Solid green (Cat 3)



ONS 9033-2.0 - 104P

Matte black / Infinity
Blue-brown grad (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ Lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- ZEROFORM™ frame

SIZING

A measurement:	56	Temple length:	136
B measurement:	41.1		
DBL measurement:	16		



ONS 9034-2.0

Oversized cat eye - the O'Neill version.

HYDROFREAK™ lenses
ZEROFORM™ frame material



ONS 9034-2.0 - 102P

Matte tort / Blue
Soild green (Cat 3)



ONS 9034-2.0 - 113P

Gloss crystal / Blue
Smoke with silver flash (Cat 3)



ONS 9034-2.0 - 161P

Matte purple / Birch
Purple to brown flash (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ Lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- ZEROFORM™ frame

SIZING

A measurement:	57	Temple length:	140
B measurement:	45.7		
DBL measurement:	15		



ONS 9035-2.0

Retro female style with keyhole bridge.

HYDROFREAK™ lenses
ZEROFORM™ frame material



ONS 9035-2.0 - 102P

Matte tort
Solid green (Cat 3)



ONS 9035-2.0 - 104P

Gloss black / Teal
Smoke with silver flash (Cat 3)



ONS 9035-2.0 - 161P

Matte purple / Birch
Purple to brown flash (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ Lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- ZEROFORM™ frame

SIZING

A measurement:	53	Temple length:	148
B measurement:	43.6		
DBL measurement:	19		



ONS 9036-2.0

Soft butterfly shape for all occasions.

HYDROFREAK™ lenses
ZEROFORM™ frame material



ONS 9036-2.0 - 102P

Matte tort / Gold
Solid green (Cat 3)



ONS 9036-2.0 - 104P

Matte black
Smoke with silver flash (Cat 3)



ONS 9036-2.0 - 161P

Matte purple / Rose gold
Pink mirror (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ Lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- ZEROFORM™ frame

SIZING

A measurement:	52	Temple length:	145
B measurement:	46		
DBL measurement:	20		



ONS Carillo2.0

Our take on the original Jack frame.

HYDROFREAK™ lenses
PSYCHOTECH™ contact zones



ONS Carillo2.0 - BLK

Matte black / Black
Solid smoke (Cat 3)



ONS Carillo2.0 - GLD

Matte gold
Solid green (Cat 3)



ONS Carillo2.0 - SIL

Matte silver / Black
Smoke with silver flash (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ Lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- PSYCHOTECH™ contact points

SIZING

A measurement:	50	Temple length:	145
B measurement:	46.6		
DBL measurement:	23		

ONS Barrel2.0

High wrap performance sports model with colour temple detailing.

HYDROFREAK™ lenses
ZEROFORM™ frame material
PSYCHOTECH™ contact zones



ONS Barrel2.0 - I32P

Matte navy / Lime
 Green mirror (Cat 3)



ONS Barrel2.0 - I82P

Gloss grey stripes
 Smoke with silver flash (Cat 3)



ONS Barrel2.0 - I04P

Matte black
 Blue mirror (Cat 3)



ONS Barrel2.0 - I08P

Matte grey surfboard
 Solid smoke (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ Lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- ZEROFORM™ frame
- PSYCHOTECH™ contact points

SIZING

A measurement:	62	Temple length:	136
B measurement:	39		
DBL measurement:	19		



ONS Zepol2.0

High wrap performance sports model.

HYDROFREAK™ lenses
ZEROFORM™ frame material
PSYCHOTECH™ contact zones



ONS Zepol2.0 - 182P

Gloss grey stripes / Red
Red mirror (Cat 3)



ONS ZEPOL2.0 - 108P

Matte black / Grey surfboard
Silver mirror (Cat 3)



ONS ZEPOL2.0 - 127P

Matte black / Red
Silver mirror (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ Lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- ZEROFORM™ frame
- PSYCHOTECH™ contact points

SIZING

A measurement:	50	Temple length:	145
B measurement:	46.6		
DBL measurement:	23		



ONS Convair2.0

is a frame for multiple seasons with signature O'Neill branding.

HYDROFREAK™ lenses
ZEROFORM™ frame material
PSYCHOTECH™ contact zones



ONS Convair2.0 - I32P

Matte navy / Grey
Silver mirror (Cat 3)



ONS Convair2.0 - I03P

Matte brown / Black brown
Gold flash mirror (Cat 3)



ONS Convair2.0 - I04P

Matte black
Solid smoke (Cat 3)



ONS Convair2.0 - I08P

Matte grey fade pattern
Lime mirror (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ Lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- ZEROFORM™ frame
- PSYCHOTECH™ contact points

SIZING

A measurement:	57	Temple length:	139
B measurement:	41		
DBL measurement:	18		



ONS 9002 - 2.0

High wrap performance sports model with side shields and rubber tips.

HYDROFREAK™ lenses

ZEROFORM™ frame material

PSYCHOTECH™ contact zones



ONS 9002 2.0 - 104P

Matte black / Grey
Smoke with silver flash (Cat 3)



ONS 9002 2.0 - 105P

Matte blue crystal / Hydro spots
Solid smoke (Cat 3)



ONS 9002 2.0 - 113P

Gloss clear crystal / Black
Red mirror (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ Lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- ZEROFORM™ frame
- PSYCHOTECH™ contact points

SIZING

A measurement:	62	Temple length:	129	Base curve:	800
B measurement:	39.6	ED measurement:	66.5	Sph's:	+3.00 / -3.00
DBL measurement:	17	Panto angle:	12	Cyl's:	2.00



ONS 9004 - 2.0

A frame for multiple seasons.

HYDROFREAK™ lenses
ZEROFORM™ frame material



ONS 9004 2.0 - 104P

Matte black
Ice blue mirror (Cat 3)



ONS 9004 2.0 - 113P

Gloss clear crystal
Red mirror (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ Lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- ZEROFORM™ frame

SIZING

A measurement:	63	Temple length:	140	Base curve:	600
B measurement:	40	ED measurement:	68	Sph's:	+3.00 / -3.00
DBL measurement:	14	Panto angle:	12	Cyl's:	2.00



ONS 9005 - 2.0

The big square, a classic cut in a large fit.

HYDROFREAK™ lenses
ZEROFORM™ frame material



ONS 9005 2.0 - 102P

Matte tortoise
Solid green (Cat 3)



ONS 9005 2.0 - 109P

Matte khaki crystal
Gold mirror (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ Lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- ZEROFORM™ frame

SIZING

A measurement:	58	Temple length:	140	Base curve:	600
B measurement:	44.3	ED measurement:	63.9	Sph's:	+6.00 / -6.00
DBL measurement:	17	Panto angle:	12	Cyl's:	4.00



ONS 9006 - 2.0

Cool subtly square vintage keyhole, with sleek stainless steel & rubber contact points.

HYDROFREAK™ lenses

ZEROFORM™ frame material

PSYCHOTECH™ contact zones



ONB 9006 2.0 - 104P

Matte black / Gun
Solid smoke (Cat 3)



ONS 9006 2.0 - 109P

Matte khaki crystal / Gun
Gold mirror (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ Lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- PSYCHOTECH™ contact points
- ZEROFORM™ frame

SIZING

A measurement:	56	Temple length:	140	Base curve:	600
B measurement:	41.6	ED measurement:	63.1	Sph's:	+6.00 / -6.00
DBL measurement:	16	Panto angle:	12	Cyl's:	4.00



ONS 9007 - 2.0

Retro styling with embossed core wire design.

HYDROFREAK™ lenses
ZEROFORM™ frame material



ONS 9007 2.0 - 104P

Matte black / Grey crystal
Smoke with silver flash (Cat 3)



ONS 9007 2.0 - 106P

Matte navy crystal
Ice blue mirror (Cat 3)



ONS 9007 2.0 - 108P

Matte grey crystal
Solid green (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ Lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- ZEROFORM™ frame

SIZING

A measurement:	52	Temple length:	145	Base curve:	600
B measurement:	42.1	ED measurement:	58.3	Sph's:	+6.00 / -6.00
DBL measurement:	17	Panto angle:	12	Cyl's:	4.00



ONS 9008 - 2.0

The classic round eye with embossed core wire design. Made from a plant based material. A sustainable and bio-based O'Neill response to the plastic problem our oceans are facing.

HYDROFREAK™ lenses

ZEROFORM™ frame material



ONS 9008 2.0 - 102P

Matte tort / Grey crystal
Solid green (Cat 3)



ONS 9008 2.0 - 105P

Matte blue crystal / Clear
Ice blue mirror (Cat 3)



ONS 9008 2.0 - 108P

Matte grey crystal
Smoke with silver flash (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ Lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- ZEROFORM™ frame

SIZING

A measurement:	51	Temple length:	145	Base curve:	600
B measurement:	42.5	ED measurement:	54.9	Sph's:	+6.00 / -6.00
DBL measurement:	19	Panto angle:	20	Cyl's:	4.00



ONS 9013 - 2.0

Vintage inspired metal style, bringing fashion and functionality.

HYDROFREAK™ lenses



ONS 9013 2.0 - 001P

Satin gold
Solid green (Cat 3)



ONS 9013 2.0 - 002P

Matte silver
Blue mirror (Cat 3)



ONS 9013 2.0 - 004P

Matte black
Smoke with silver flash (Cat 3)



ONS 9013 2.0 - 072P

Satin pink / Rose gold
Pink mirror (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ Lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- Ultra slim temples

SIZING

A measurement:	52	Temple length:	140	Base curve:	450
B measurement:	46	ED measurement:	55.2	Sph's:	+3.00 / -3.00
DBL measurement:	19	Panto angle:	8	Cyl's:	2.00



ONS 9015 - 2.0

A stand-out female style with eye catching tie-dye inspired temple detailing.

HYDROFREAK™ lenses

ZEROFORM™ frame material



ONS 9015 2.0 - 113P

Gloss crystal / Tie dye
Solid smoke (Cat 3)



ONS 9015 2.0 - 160P

Matte crystal berry
Solid smoke (Cat 3)



ONS 9015 2.0 - 195P

Gloss black tort
Smoke with silver flash (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ Lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 2 & 3 (3 suitable for driving)
- Suitable for prescription glazing
- ZEROFORM™ frame

SIZING

A measurement:	55	Temple length:	140	Base curve:	600
B measurement:	43.7	ED measurement:	59.5	Sph's:	+5.00 / -5.00
DBL measurement:	16	Panto angle:	8	Cyl's:	4.00



ONS BLUEJOLLA2.0 - 104P

Matte black
Solid smoke (Cat 3)

ONS BLUEJOLLA2.0

Ghostnets and recyclable rubber. Repurposed ocean waste combines with natural mineral glass lenses – every element thoughtfully aligned with O’Neill’s BLUE mission to protect our oceans.



PRECISION FORMED FROM RECYCLED FISHING NETS
RECYCLABLE MINERAL GLASS LENSES
RECYCLABLE RUBBER TOUCH POINTS

TECHNICAL SPEC

- Mineral glass lenses polarized
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- Made from recycled fishing nets and recyclable natural rubber

SIZING

A measurement:	54	Temple length:	145	Base curve:	600
B measurement:	45.6	ED measurement:	58.9	Sph's:	+3.00 / -3.00
DBL measurement:	19	Panto angle:	?	Cyl's:	2.00



ONS BLUELYN2.0

Ghostnets and recyclable rubber. Repurposed ocean waste combines with natural mineral glass lenses – every element thoughtfully aligned with O’Neill’s BLUE mission to protect our oceans.



PRECISION FORMED FROM RECYCLED FISHING NETS
RECYCLABLE MINERAL GLASS LENSES
RECYCLABLE RUBBER TOUCH POINTS

ONS BLUELYN2.0 - 127P

Matte black
Solid green (Cat 3)

TECHNICAL SPEC

- Mineral glass lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- Made from recycled fishing nets and recyclable natural rubber

SIZING

A measurement:	57	Temple length:	140	Base curve:	600
B measurement:	45.5	ED measurement:	64.7	Sph's:	+3.00 / -3.00
DBL measurement:	17	Panto angle:	12	Cyl's:	2.00



ONS BLUESHORE2.0 - 127P

Matte black
Solid green (Cat 3)

ONS BLUESHORE2.0

Ghostnets and recyclable rubber. Repurposed ocean waste combines with natural mineral glass lenses – every element thoughtfully aligned with O’Neill’s BLUE mission to protect our oceans.



PRECISION FORMED FROM RECYCLED FISHING NETS
RECYCLABLE MINERAL GLASS LENSES
RECYCLABLE RUBBER TOUCH POINTS

TECHNICAL SPEC

- Mineral glass lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- Made from recycled fishing nets and recyclable natural rubber

SIZING

A measurement:	58	Temple length:	140	Base curve:	600
B measurement:	46.4	ED measurement:	60	Sph's:	+3.00 / -3.00
DBL measurement:	16	Panto angle:	8	Cyl's:	2.00



ONS BLUEVAIR2.0

Ghostnets and recyclable rubber. Repurposed ocean waste combines with natural mineral glass lenses – every element thoughtfully aligned with O’Neill’s BLUE mission to protect our oceans.



 **PRECISION FORMED FROM RECYCLED FISHING NETS**
RECYCLABLE MINERAL GLASS LENSES
RECYCLABLE RUBBER TOUCH POINTS



ONS BLUEVAIR2.0 - 104P

Matte black
Solid smoke (Cat 3)

TECHNICAL SPEC

- Mineral glass lenses polarized
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- Made from recycled fishing nets and recyclable natural rubber

SIZING

A measurement:	58	Temple length:	144	Base curve:	600
B measurement:	41.5	ED measurement:	63.2	Sph's:	+3.00 / -3.00
DBL measurement:	17	Panto angle:	12	Cyl's:	2.00



ONS COAST2.0

Beach fades and prints, the weekend is just around the corner...

HYDROFREAK™ lenses
ZEROFORM™ frame material



ONS COAST2.0 - 104P

Rubberised matte black
Solid smoke (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ Lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- ZEROFORM™ frame

SIZING

A measurement:	53	Temple length:	143	Base curve:	600
B measurement:	41	ED measurement:	54	Sph's:	+5.00 / -5.00
DBL measurement:	18	Panto angle:	12	Cyl's:	4.00



ONS ENSENADA 2.0

Stand out amongst the dunes with this cool subtly squared round-eye style with vintage keyhole bridge.

HYDROFREAK™ lenses

ZEROFORM™ frame material

PSYCHOTECH™ contact zones

ONS ENSENADA 2.0 - 102P

Matte tort / Gold
Solid brown (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ Lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- ZEROFORM™ frame
- PSYCHOTECH™ contact points

SIZING

A measurement:	55	Temple length:	141	Base curve:	600
B measurement:	43.8	ED measurement:	61.5	Sph's:	+5.00 / -5.00
DBL measurement:	17	Panto angle:	9	Cyl's:	4.00



ONS HARLYN2.0

is a frame for multiple seasons with a classic cut in a larger fit.



HYDROFREAK™ lenses
ZEROFORM™ frame material



ONS HARLYN2.0 - 102P

Matte tort
Solid brown (Cat 3)



ONS HARLYN2.0 - 127P

Matte black
Solid smoke (Cat 3)



ONS HARLYN2.0 - 165P

Matte grey crystal
Purple mirror (Cat 3)



ONS HARLYN2.0 - 193P

Matte black
Red mirror (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ Lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- ZEROFORM™ frame

SIZING

A measurement:	57	Temple length:	140	Base curve:	600
B measurement:	44	ED measurement:	64	Sph's:	+5.00 / -5.00
DBL measurement:	17	Panto angle:	10	Cyl's:	4.00



ONS HARWOOD2.0 - 104P

Matte black / Bamboo
Solid smoke with silver flash (Cat 3)



ONS HARWOOD2.0 - 105P

Matte dark blue crystal / Bamboo
Solid brown (Cat 3)

ONS HARWOOD2.0

100% biodegradable natural bamboo temples.
Your go-to for all day beach vibes this summer.

REAL BAMBOO
HYDROFREAK™ lenses
ZEROFORM™ frame material

TECHNICAL SPEC

- Polarized HYDROFREAK™ Lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- ZEROFORM™ frame
- Bamboo temples

SIZING

A measurement:	57	Temple length:	142	Base curve:	600
B measurement:	45	ED measurement:	64.4	Sph's:	+5.00 / -5.00
DBL measurement:	7	Panto angle:	10	Cyl's:	4.00



ONS MALIKA2.0

The ultimate lifestyle shape, with coral tones and water prints.

HYDROFREAK™ lenses
ZEROFORM™ frame material



ONS MALIKA2.0 - 151P

Matte coral crystal / Blue flower graphic
Solid smoke (Cat 3)



ONS MALIKA2.0 - 165P

Matte light grey crystal / Sandy pink
Gold pink mirror (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ Lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- ZEROFORM™ frame

SIZING

A measurement:	55	Temple length:	140	Base curve:	600
B measurement:	43.7	ED measurement:	59.5	Sph's:	+5.00 / -5.00
DBL measurement:	16	Panto angle:	10	Cyl's:	4.00



ONS PAIPO2.0

Stand out amongst the dunes with this cool subtly squared round-eye style with a vintage keyhole bridge.

HYDROFREAK™ lenses
ZEROFORM™ frame material



ONS PAIPO2.0 - 102P

Gloss tort / Antique gold
Solid green (Cat 3)



ONS PAIPO2.0 - 104P

Gloss black crystal / Metallic black
Smoke with silver flash (Cat 3)



ONS PAIPO2.0 - 106P

Gloss blue crystal / Gunmetal
Solid smoke (Cat 3)

TECHNICAL SPEC

- Polarized HYDROFREAK™ Lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- ZEROFORM™ frame

SIZING

A measurement:	52	Temple length:	140	Base curve:	400
B measurement:	44.2	ED measurement:	56.5	Sph's:	+5.00 / -5.00
DBL measurement:	20	Panto angle:	10	Cyl's:	4.00



ONS WOVE2.0 - 127P

Matte black
Solid green (Cat 3)

ONS WOVE2.0

Ghostnets and recyclable rubber. Repurposed ocean waste combines with natural mineral glass lenses – every element thoughtfully aligned with O’Neill’s BLUE mission to protect our oceans.

 **PRECISION FORMED FROM RECYCLED FISHING NETS**
RECYCLABLE MINERAL GLASS LENSES
RECYCLABLE RUBBER TOUCH POINTS



**Green
Product
Award**
Winner
2021

TECHNICAL SPEC

- Mineral glass lenses
- 99%+ UVA & UVB protection (UV400)
- Lens category 3 (Suitable for driving)
- Suitable for prescription glazing
- Made from recycled fishing nets and recyclable natural rubber

SIZING

A measurement:	64	Temple length:	131	Base curve:	800
B measurement:	43.7	ED measurement:	60.3	Sph's:	+3.00 / -3.00
DBL measurement:	17	Panto angle:	11	Cyl's:	2.00